



DS-600i
FOLDER INSERTER
The New Standard in Mail Production

SMART CHANGE STARTS HERE.

THE NEW STANDARD IN MAIL PRODUCTION

The highly productive folding inserting system processes an unprecedented variety of mail.

The DS-600i helps to meet the workflow demands of almost every application – from direct marketing to highly sensitive mailings, including medical billing and patient information, to payroll and personal financial statements. Quadient's inline personalization module provides security and supports the ability to meet privacy compliance requirements. For marketers, it provides numerous opportunities to customize mailings. And the DS-600i also has the ability to process flats efficiently and effectively.

Intelligent Productivity from Start to Finish

The DS-600i's large color graphic interface reaches new heights in user friendliness and workflow programming. Once a job has been programmed, running it is as simple as loading your materials, selecting the job, and pressing start. Even changing over to a completely different job takes only minutes.

The DS-600i helps to streamline productivity every step of the way, from efficient paper loading to predictive intelligence that estimates when your job will be completed.



Content Control and System Integrity You Can Rely On

The DS-600i's exclusive CIS scanning device can read any type of code, including OMR 1 and 2 track and 1D and 2D Datamatrix codes. With this technology, the code can be printed anywhere on the document.

The DS-600i IMOS operating system delivers full mailpiece integrity. Each feeder calibrates the first document fed and checks each subsequent document to help ensure there are no double feeds.

The system records each document at input and then every movement through the system until the completed mailpiece is delivered to the conveyor.

For applications requiring the highest level of security, Quadient's Automated Insertion Management System (AIMS) electronically matches each mailpiece to the project's mailing data file, helping to support complete closed-loop verification.

Endless Possibilities


Optional document scanning and feeders can be licensed to read OMR, BCR, or 2D codes that can be used for either matching personalized inserts with the primary document from the tower folder, or selectively feeding generic inserts based on the primary document's codes.




Automate Your Document Processing

Quadient's Output Management Software (OMS) helps to simplify, automate, and enhance your document creation process.

- Automatically add a barcode to realize the optimal value of your folder inserter.
- Select inserts from multiple trays.
- Help safeguard your mail's integrity with secure control marks.
- Split the print file based on your criteria.





Inline Dynamic Envelope Printing (DEP) supports customer information and security.



The DS-600i fully integrated direct impression envelope printing solution allows users to personalize envelopes as part of the mail assembly process. This eliminates the need for window envelopes and helps to safeguard the privacy of important customer information.

When printing in matched mode, each document is recorded by the folder inserter at input. Once the documents have been folded and inserted, the secure system prints the matched name and address on the closed-face envelope.

This process helps to ensure integrity and security, allowing sensitive information to remain confidential.

DS-600i SPECIFICATIONS

PROCESSING SPEED	Up to 6,000 envelopes/hour Up to 12,000 sheets/hour
COLOR TOUCHSCREEN	Standard (widescreen)
AUTOMATIC SETTINGS	Standard
JOB MEMORY	No limitation
FEEDERS	Up to 8 modules (8 feeders or 7 feeders plus 1 tower folder)
DOCUMENT FEEDER CAPACITY	Up to 2,000 sheets (combinations of 500 and 1,000 sheet hoppers)
ENVELOPE FEEDER CAPACITY	Up to 800 (500 flats)
HAND FEEDING	Standard
MULTI-SHEET FEEDING	Standard
CASCADE FROM FEEDERS	Standard
DIVERT BIN FOR DOCUMENTS	Standard
ENVELOPE CONVEYOR	Standard
AUTOMATIC DOUBLE DETECTION	Standard
FOLDING CAPACITY (ONE SET, SINGLE FOLD)	Up to 8 sheets
LAN EMBEDDED	Standard ethernet connection
FOLD TYPES	Letter, z-fold, single, double parallel, no fold
DOCUMENT HEIGHT	Up to 16" portrait feed (folding), 8.5" landscape feed (no folding)
DOCUMENT WIDTH	Up to 8.5" portrait feed (folding), 12" landscape feed (no folding)
MAXIMUM INSERT THICKNESS	6 mm
MAXIMUM SET THICKNESS	10 mm
ENVELOPE LENGTH	3.875" to 10"
ENVELOPE WIDTH	8.875" to 13"
OPTIONS	
ACCUMULATE BEFORE FOLDING	Standard
HIGH-CAPACITY DOCUMENT FEEDER	Up to 1,000 sheets (20 lb.)
BARCODE READER (BCR) FOR D AND 2D BARCODES	Available
OPTICAL MARK RECOGNITION (OMR)	Available
OUTPUT MANAGEMENT SOFTWARE (OMS)	Available
AUTOMATED INSERTION MANAGEMENT (AIMS)	Available
INLINE ENVELOPE PRINTING	Available
MAILING SYSTEM INTERFACE	Available
SYSTEM DIMENSIONS	Length x Depth x Height
DS-600I (ONE FEEDER PLUS TOWER FOLDER AND FURNITURE)	104" x 25" x 59"
WEIGHT (ONE FEEDER PLUS TOWER FOLDER AND FURNITURE)	880 lbs.

